

L Number	Hits	Search Text	DB	Time stamp
-	55	format\$5 near5 (devices or palm or pda or wap or cell or handheld or wireless) and (internet near2 based near1 application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 18:18
-	48	(format\$5 near5 (devices or palm or pda or wap or cell or handheld or wireless) and (internet near2 based near1 application)) and access\$5 near5 application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 18:19
-	34	((format\$5 near5 (devices or palm or pda or wap or cell or handheld or wireless) and (internet near2 based near1 application)) and access\$5 near5 application) and ((convert\$3 or transcod\$5 or transform\$5) with (application or data or information))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 18:24
-	16	((format\$5 near5 (devices or palm or pda or wap or cell or handheld or wireless) and (internet near2 based near1 application)) and access\$5 near5 application) and ((convert\$3 or transcod\$5 or transform\$5) with (application or data or information)) ) and (broker or media\$6 or middle or intermediate or interfac\$5 or layer) near5 (interface or layer or tier)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 18:21
-	4	((format\$5 near5 (devices or palm or pda or wap or cell or handheld or wireless) and (internet near2 based near1 application)) and access\$5 near5 application) and ((convert\$3 or transcod\$5 or transform\$5) with (application or data or information)) with (xml or wml)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 18:26
-	214	(format\$5 near5 (devices or palm or pda or wap or cell or handheld or wireless)) and ((convert\$3 or transcod\$5 or transform\$5) with (application or data or information)) with (xml or wml)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 18:26
-	4	(format\$5 near5 (devices or palm or pda or wap or cell or handheld or wireless) and (internet near2 based near1 application)) and ((format\$5 near5 (devices or palm or pda or wap or cell or handheld or wireless)) and ((convert\$3 or transcod\$5 or transform\$5) with (application or data or information)) with (xml or wml) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 18:26
-	1476	(convert\$3 or transcod\$5 or transform\$5 or reformat\$5) with ((web or internet) near2 (application or data or information)) with (device or pda or palm or handheld or cell or telephone or pager or wireless or client or user or server or web or application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 14:29
-	208	((convert\$3 or transcod\$5 or transform\$5 or reformat\$5) with ((web or internet) near2 (application or data or information)) with (device or pda or palm or handheld or cell or telephone or pager or wireless or client or user or server or web or application)) and (format\$5 or reformat\$5) near5 device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 16:03

-	5	((convert\$3 or transcod\$5 or transform\$5 or reformat\$5) with ((web or internet) near2 (application or data or information)) with (device or pda or palm or handheld or cell or telephone or pager or wireless or client or user or server or web or application)) and emulat\$6 near5 application) and ((convert\$3 or transcod\$5 or transform\$5 or reformat\$5) with ((web or internet) near2 (application or data or information)) with (device or pda or palm or handheld or cell or telephone or pager or wireless or client or user or server or web or application)) and (format\$5 or reformat\$5) near5 device)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 14:31
-	20	((convert\$3 or transcod\$5 or transform\$5 or reformat\$5) with ((web or internet) near2 (application or data or information)) with (device or pda or palm or handheld or cell or telephone or pager or wireless or client or user or server or web or application)) and emulat\$6 near5 application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 14:32
-	208	((convert\$3 or transcod\$5 or transform\$5 or reformat\$5) with ((web or internet) near2 (application or data or information)) with (device or pda or palm or handheld or cell or telephone or pager or wireless or client or user or server or web or application)) and (format\$5 or reformat\$5) near5 device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 16:03
-	285	((convert\$3 or transcod\$5 or transform\$5 or reformat\$5) with ((web or internet) near2 (application or data or information or content)) with (device or pda or palm or handheld or cell or telephone or pager or wireless or client or user or server or web or application)) and (format\$5 or reformat\$5) near5 device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 16:04
-	1245	((convert\$3 or transcod\$5 or transform\$5 or reformat\$5) with ((web or internet) near2 (application or data or information or content)) with (device or pda or palm or handheld or cell or telephone or pager or wireless or client or user or server or web or application)) and (format\$5 or reformat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 16:06
-	873	((convert\$3 or transcod\$5 or transform\$5 or reformat\$5) with ((web or internet) near2 (application or data or information or content)) with (device or pda or palm or handheld or cell or telephone or pager or wireless or client or user or server or web or application)) and (format\$5 or reformat\$5) ) and (convert\$3 or transcod\$5 or transform\$5 or reformat\$5) near6 ((web or internet) near2 (application or data or information or content))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 16:05

-	1180	((convert\$3 or transcod\$5 or transform\$5 or reformat\$5) with ((web or internet) near2 (application or data or information or content)) with (device or pda or palm or handheld or cell or telephone or pager or wireless or client or user or server or web or application)) and (format\$5 or reformat\$5) ) and (convert\$3 or transcod\$5 or transform\$5 or reformat\$5 or format\$5) near5 (device or pda or palm or handheld or cell or telephone or pager or wireless or client or user or server or web or application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 16:10
-	304	((convert\$3 or transcod\$5 or transform\$5 or reformat\$5) with ((web or internet) near2 (application or data or information or content)) with (device or pda or palm or handheld or cell or telephone or pager or wireless or client or user or server or web or application)) and (format\$5 or reformat\$5) ) and (convert\$3 or transcod\$5 or transform\$5 or reformat\$5 or format\$5) near5 (device or pda or palm or handheld or cell or telephone or pager or wireless or client or user or server or web or application) with (suitable or appropriat\$5 or compatible or proper or consistant)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 16:09
-	304	((convert\$3 or transcod\$5 or transform\$5 or reformat\$5) with ((web or internet) near2 (application or data or information or content)) with (device or pda or palm or handheld or cell or telephone or pager or wireless or client or user or server or web or application)) and (format\$5 or reformat\$5) ) and (convert\$3 or transcod\$5 or transform\$5 or reformat\$5 or format\$5) near5 (device or pda or palm or handheld or cell or telephone or pager or wireless or client or user or server or web or application or SMS or short adj1 messag\$3) with (suitable or appropriat\$5 or compatible or proper or consistant)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10:24

-	227	(((convert\$3 or transcod\$5 or transform\$5 or reformat\$5) with ((web or internet) near2 (application or data or information or content)) with (device or pda or palm or handheld or cell or telephone or pager or wireless or client or user or server or web or application)) and (format\$5 or reformat\$5) ) and (convert\$3 or transcod\$5 or transform\$5 or reformat\$5) near6 ((web or internet) near2 (application or data or information or content)) ) and (((convert\$3 or transcod\$5 or transform\$5 or reformat\$5) with ((web or internet) near2 (application or data or information or content)) with (device or pda or palm or handheld or cell or telephone or pager or wireless or client or user or server or web or application)) and (format\$5 or reformat\$5) ) and (convert\$3 or transcod\$5 or transform\$5 or reformat\$5 or format\$5) near5 (device or pda or palm or handheld or cell or telephone or pager or wireless or client or user or server or web or application or SMS or short adj1 messag\$3) with (suitable or appropriat\$5 or compatible or proper or consistant))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 18:49
-	2590	709/229.ccls. or 709/246.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 16:11

-	15	(convert\$3 or transcod\$5 or transform\$5) with web near2 application with device	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 20:35
-	380	(convert\$3 or transcod\$5 or transform\$5) with (web or internet) near2 (application or data or information) with (device or pda or palm or handheld or cell or telephone or pager)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 20:36
-	380	(convert\$3 or transcod\$5 or transform\$5) with ((web or internet) near2 (application or data or information)) with (device or pda or palm or handheld or cell or telephone or pager)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 20:39
-	15	((convert\$3 or transcod\$5 or transform\$5) with ((web or internet) near2 (application or data or information)) with (device or pda or palm or handheld or cell or telephone or pager)) same (broker or media\$6 or middle)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 20:39
-	429	(convert\$3 or transcod\$5 or transform\$5) with ((web or internet) near2 (application or data or information)) with (device or pda or palm or handheld or cell or telephone or pager or wireless)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/23 14:27
-	15	((convert\$3 or transcod\$5 or transform\$5) with ((web or internet) near2 (application or data or information)) with (device or pda or palm or handheld or cell or telephone or pager or wireless)) same (broker or media\$6 or middle)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 20:39
-	21	((convert\$3 or transcod\$5 or transform\$5) with ((web or internet) near2 (application or data or information)) with (device or pda or palm or handheld or cell or telephone or pager or wireless)) and (broker or media\$6 or middle) near5 (interface or layer or tier)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 18:20

L Number	Hits	Search Text	DB	Time stamp
3	1	(((((("6377993").PN.) and session near5 manag\$6) and (user or device or applicatin or authent\$6 or verif\$6 or vaidat\$5) near5 manag\$6) and (user or device or applicatin or authent\$6 or verif\$6 or vaidat\$5 or communicat\$5 or respons\$5 ) near5 (manag\$6 or session) ) and (user or device or applicatin or authent\$6 or verif\$6 or vaidat\$5 or communicat\$5 or respons\$5 ) near5 (manag\$6 or session) with (interfac\$5 or component or tier or program\$5 or module)) and (stor\$5 ) near5 (manag\$6 or session)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/07 19:58
4	1	(((((("6377993").PN.) and session near5 manag\$6) and (user or device or applicatin or authent\$6 or verif\$6 or vaidat\$5) near5 manag\$6) and (user or device or applicatin or authent\$6 or verif\$6 or vaidat\$5 or communicat\$5 or respons\$5 ) near5 (manag\$6 or session) ) and (user or device or applicatin or authent\$6 or verif\$6 or vaidat\$5 or communicat\$5 or respons\$5 ) near5 (manag\$6 or session) with (interfac\$5 or component or tier or program\$5 or module)) and (stor\$5 ) near5 (manag\$6 or session) ) and (stor\$5 ) near5 (manag\$6 or session) with (data or information or acces\$5 or request\$5 or respon\$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/07 20:00
-	74	709/229.ccls. and session near2 manag\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 11:13
-	501	709/229.ccls. and application near2( data or internet)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/20 18:13
-	0	authentikat\$6 near3 (device or user) near3 (access\$5 or permi\$6) near4 applicatin	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 20:23
-	292	authentikat\$6 near3 (device or user) near3 (access\$5 or permi\$6) near4 application	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/06 18:46
-	0	(709/229.ccls. and session near2 manag\$6) and (authentikat\$6 near3 (device or user) near3 (access\$5 or permi\$6) near4 application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 20:23
-	15	(authentikat\$6 near3 (device or user) near3 (access\$5 or permi\$6) near4 application) and session near2 manag\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 20:24
-	9	(709/229.ccls. and application near2( data or internet)) and (authentikat\$6 near3 (device or user) near3 (access\$5 or permi\$6) near4 application)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/18 20:31